

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	993	(713/194)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:28
L2	740	(726/26)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:29
L3	63	(713/194)(726/26)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:29
L4	3	"protect" "integrated circuit" "voltage" "delay" "time vary" "random number" "generator" @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:29
L5	10	"integrated circuit" "voltage" "delay" "time vary" "random number" "generator" @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:30
L6	510	"integrated circuit" "voltage" "delay" "time" "random number" "generator" @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:30
L7	274	"integrated circuit" "voltage" "delay" "time" "varying" "random number" "generator" @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:31
L8	227	"external" "integrated circuit" "voltage" "delay" "time" "varying" "random number" "generator" @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:31
L9	1	"external detection" "integrated circuit" "voltage" "delay" "time" "varying" "random number" "generator" @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:31
L10	112	"external" "detection" "integrated circuit" "voltage" "delay" "time" "varying" "random number" "generator" "converter" @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:31

L11	115	"external" "detection" "integrated circuit" "voltage" "delay" "time" "varying" "random number" "converter" @ad<"20010613" ""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:31
L12	1	"external detection" "integrated circuit" "voltage" "delay" "time" "varying" "random number" @ad<"20010613" ""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:32
L13	1	"external detection" "integrated circuit" "delay" "time" "varying" "random number" @ad<"20010613" ""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:32
L14	2	"external detection" "integrated circuit" "voltage" "delay" "random number" @ad<"20010613" ""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:32
L15	47	("asynchronous" near2 "circuit") "random number" @ad<"20010613" ""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:35
L16	15	("asynchronous circuit") "random number" @ad<"20010613" ""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:35
L17	251	("integrated circuit") "random number generator" "asynchronous" @ad<"20010613" ""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:35
L18	10	"analog voltage" "async" @ad<"20010613" ""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:36
L19	61	(varying near2 voltage) "random number generator" @ad<"20010613" ""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:36
L20	130	"integrated circuit" "asynchronous" "random" (vary near2 voltage) @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:36
L21	103	external detect\$ "integrated circuit" "asynchronous" "random" (vary near2 voltage) @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:37

L22	161	external detect\$ "integrated circuit" "asynchronous" (vary near2 voltage) @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:37
L23	2	external detect\$ "integrated circuit" "asynchronous circuit" (vary near2 voltage) @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:37
L24	9	"integrated circuit" "asynchronous circuit" (vary near2 voltage) @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:38
L25	11	"asynchronous circuit" (vary near2 voltage) @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:38
L26	82	"asynchronous circuit" vary voltage @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:38
L27	106	"asynchronous circuit" detection voltage @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:38
L28	9	(atm near modem) vary voltage @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:38
L29	482	("asynchronous transfer mode") vary voltage @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:39
L30	41	("asynchronous transfer mode") "time varying" voltage @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:39
L31	44	("ATM" "modem") "time varying" voltage @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:39
L32	3	("ATM" "modem") ("time varying" near2 voltage) @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:39

L33	38	("ATM") ("time varying" near2 voltage) @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:40
L34	2	("asynchronous" "modem") ("time varying" near2 voltage) @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:40
L35	27	("asynchronous" "circuit") ("time varying" near2 voltage) @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:40
L36	24	("asynchronous" near2 "circuit") ("varying" near2 voltage) @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:40
L37	2	("asynchronous" near2 "circuit") ("time varying" near2 voltage) @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/02 15:40
S2038	3	"protect" "integrated circuit" "voltage" "delay" "time vary" "random number" "generator" @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/28 23:35
S2039	10	"integrated circuit" "voltage" "delay" "time vary" "random number" "generator" @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/28 23:35
S2040	505	"integrated circuit" "voltage" "delay" "time" "random number" "generator" @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/28 23:36
S2041	271	"integrated circuit" "voltage" "delay" "time" "varying" "random number" "generator" @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/28 23:37
S2042	224	"external" "integrated circuit" "voltage" "delay" "time" "varying" "random number" "generator" @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/28 23:38
S2043	187	"external" "detection" "integrated circuit" "voltage" "delay" "time" "varying" "random number" "generator" @ad<"20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/28 23:38

S2044	1	"external detection" "integrated circuit" "voltage" "delay" "time" "varying" "random number" "generator" @ad<""20010613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/01 00:05
S2045	112	"external" "detection" "integrated circuit" "voltage" "delay" "time" "varying" "random number" "generator" "converter" @ad<""20010613""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/01 00:08
S2046	114	"external" "detection" "integrated circuit" "voltage" "delay" "time" "varying" "random number" "converter" @ad<""20010613""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/01 00:09
S2047	0	"external detection" "integrated circuit" "voltage" "delay" "time" "varying" "random number" "converter" @ad<""20010613""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/01 00:09
S2048	1	"external detection" "integrated circuit" "voltage" "delay" "time" "varying" "random number" @ad<""20010613""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/01 00:09
S2049	1	"external detection" "integrated circuit" "delay" "time" "varying" "random number" @ad<""20010613""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/01 00:09
S2050	2	"external detection" "integrated circuit" "voltage" "delay" "random number" @ad<""20010613""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/01 15:33
S2051	2	"external detection" "integrated circuit" "voltage" "random number" @ad<""20010613""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/01 00:10
S2052	2	"external detection" "integrated circuit" "random number" @ad<""20010613""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/01 00:11
S2053	47	"external detection" "integrated circuit" @ad<""20010613""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/01 15:24
S2061	252	"reverse engineer" "integrated circuit" @ad<""20010613""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/01 15:25

S2062	34	"reverse engineer" "integrated circuit" "voltage" "delay" "random number" @ad<"20010613""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/01 15:35
S2063	5	"reverse engineer" "integrated circuit" "voltage regulator" "random number" @ad<"20010613""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/01 15:36
S2064	0	"reverse engineer" "external detection" "integrated circuit" "voltage regulator" "random number" @ad<"20010613""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/01 15:37
S2065	1	"reverse engineer" "external detection" "integrated circuit" "voltage regulator" "random number" @ad<"20010613""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/01 15:39
S2066	1	"reverse engineer" "detection" "integrated circuit" "voltage regulator" "random number" @ad<"20010613""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/01 15:39
S2067	6	"reverse engineer" "integrated circuit" "voltage regulator" @ad<"20010613""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/01 15:42
S2068	126	"reverse" "engineer" "integrated circuit" "voltage regulator" @ad<"20010613""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/01 16:19
S2070	4	"reverse engineering" "integrated circuit" "voltage regulator" @ad<"20010613""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/01 16:41
S2071	665	(713/194)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 16:40
S2072	230	(726/26)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 16:40
S2073	20	(713/194)(726/26)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 16:41

6/2/2008 3:41:22 PM

C:\Documents and Settings\cjohnson7\My Documents\EAST\Workspaces\applications\10735517 3-1-2007.
wsp